



# Principles of Distributed Computing

## Exercise 8

### 1 Coloring Rings

In Chapter 1, we proved that a ring can be colored with 3 colors in  $\log^* n + O(1)$  rounds. Clearly, a ring can only be (legally) colored with 2 colors if the number of nodes is even.

- a) Prove that, even if the nodes in a directed ring know that the number of nodes is even, coloring the ring with 2 colors requires  $\Omega(n)$  rounds!<sup>1</sup>

Since coloring a ring with 2 colors apparently takes a long time, we again resort to the problem of coloring rings using 3 colors.

- b) Assume that a *maximal independent set* (MIS) has already been constructed on the ring, i.e., each node knows whether it is in the independent set or not. Give an algorithm to color the ring with 3 colors in this scenario! What is the time complexity of your algorithm? Deduce from this a lower bound for computing a MIS!

We now want to close the gap between the lower bound of  $(\log^* n)/2 - 1$  and the upper bound of  $\log^* n + O(1)$ :

- c) Give an algorithm, based on Algorithm Six-2-Three from Chapter 1, that colors a *directed* ring using 3 colors in  $(\log^* n)/2 + O(1)$  rounds!<sup>2</sup>

---

<sup>1</sup>As in the lecture, the message size and local computations are unbounded and all nodes have unique identifiers from 1 to  $n$ .

<sup>2</sup>Use the information received from *both* neighbors to perform 2 rounds of algorithm in each round!